
TITLE: "NAVIGATING A UAV WITH A REMOTE CONTROL DEVICE" INVENTORS: WILLIAM KRESS BODIN, ET AL.

APPLICATION NO.: 10/692,118; ATTY DOCKET NO.: AUS920030675US1






FIG. 2

TITLE: "NAVIGATING A UAV WITH A REMOTE CONTROL DEVICE" INVENTORS: WILLIAM KRESS BODIN, ET AL.

APPLICATION NO.: 10/692,118; ATTY DOCKET NO.: AUS920030675US1





FIG. 3







FIG. 5








FIG. 7





FIG. 8

TITLE: "NAVIGATING A UAV WITH A REMOTE CONTROL DEVICE"

INVENTORS: WILLIAM KRESS BODIN, ET AL. APPLICATION NO.: 10/692,118; ATTY DOCKET NO.: AUS920030675US1






FIG. 10

INVENTORS: WILLIAM KRESS BODIN, ET AL. APPLICATION NO.: 10/692,118; ATTY DOCKET NO.: AUS920030675US1




FIG. 11





FIG. 12

TITLE: "NAVIGATING A UAV WITH A REMOTE CONTROL DEVICE" INVENTORS: WILLIAM KRESS BODIN, ET AL.
APPLICATION NO.: 10/692,118; ATTY DOCKET NO.: AUS920030675US1






FIG. 13




FIG. 14

WP ~ <u>704</u> Wind Vector ~ 708 <u>1506</u> Cross Track ~ 706 Threshold Distance <u>1504</u> <u>1508</u> Flight Path 1504 1502

FIG. 15